

Data Stream Processing (Part IV)

- Cormode, Muthukrishnan. "An improved data stream summary: The CountMin sketch and its applications", Jnl. of Algorithms, 2005.
- Datar, Gionis, Indyk, Motwani. "Maintaining Stream Statistics over Sliding Windows", SODA'2002.
- **SURVEY-1:** S. Muthukrishnan. "Data Streams: Algorithms and Applications"
- **SURVEY-2:** Babcock et al. "Models and Issues in Data Stream Systems", ACM PODS'2002.


The Streaming Model

- **Underlying signal:** One-dimensional array $A[1..N]$ with values $A[i]$ all initially zero
 - Multi-dimensional arrays as well (e.g., row-major)
- Signal is implicitly represented via a **stream of updates**
 - j -th update is $\langle k, c[j] \rangle$ implying
 - $A[k] := A[k] + c[j]$ ($c[j]$ can be $>0, <0$)
- **Goal: Compute functions on $A[]$** subject to
 - Small space
 - Fast processing of updates
 - Fast function computation
 - ...

Streaming Model: Special Cases

- **Time-Series Model**
 - Only j -th update updates $A[j]$ (i.e., $A[j] := c[j]$)
- **Cash-Register Model**
 - $c[j]$ is always ≥ 0 (i.e., increment-only)
 - Typically, $c[j]=1$, so we see a multi-set of items in one pass
- **Turnstile Model**
 - Most general streaming model
 - $c[j]$ can be >0 or <0 (i.e., increment or decrement)
- **Problem difficulty varies depending on the model**
 - E.g., MIN/MAX in Time-Series vs. Turnstile!

Data-Stream Processing Model



Probabilistic Guarantees

- Example: Actual answer is within 5 ± 1 with prob ≥ 0.9
- **Randomized algorithms:** Answer returned is a specially-built random variable
- User-tunable **(ϵ, δ) -approximations**
 - Estimate is within a relative error of ϵ with probability $\geq 1 - \delta$
- Use **Tail Inequalities** to give probabilistic bounds on returned answer
 - Markov Inequality
 - Chebyshev's Inequality
 - Chernoff Bound
 - Hoeffding Bound

Overview

- Introduction & Motivation
- Data Streaming Models & Basic Mathematical Tools
- Summarization/Sketching Tools for Streams
 - Sampling
 - **Linear-Projection (aka AMS) Sketches**
 - Applications: Join/Multi-Join Queries, Wavelets
 - **Hash (aka FM) Sketches**
 - Applications: Distinct Values, Distinct sampling, Set Expressions


Linear-Projection (aka AMS) Sketch Synopses

- **Goal:** Build small-space summary for distribution vector $f(i)$ ($i=1, \dots, N$) seen as a stream of i -values



- **Basic Construct:** Randomized Linear Projection of $f()$ = project onto inner/dot product of f -vector

$$\langle f, \xi \rangle = \sum f(i)\xi_i \quad \text{where } \xi = \text{vector of random values from an appropriate distribution}$$



- Generate ξ_i 's in small ($\log N$) space using pseudo-random generators
- Tunable probabilistic guarantees on approximation error
- Delete-Proof: Just subtract ξ_i to delete an i -th value occurrence
- Composable: Simply add independently-built projections

7

Hash (aka FM) Sketches for Distinct Value Estimation [FM85]


- Assume a hash function $h(x)$ that maps incoming values x in $[0, \dots, N-1]$ uniformly across $[0, \dots, 2^L-1]$, where $L = O(\log N)$

- Let $\text{lsb}(y)$ denote the position of the least-significant 1 bit in the binary representation of y

- A value x is mapped to $\text{lsb}(h(x))$

- Maintain *Hash Sketch* = BITMAP array of L bits, initialized to 0


- For each incoming value x , set $\text{BITMAP}[\text{lsb}(h(x))] = 1$



8

Hash (aka FM) Sketches for Distinct Value Estimation [FM85]

- By uniformity through $h(x)$: $\text{Prob}[\text{BITMAP}[k]=1] = \text{Prob}[10^k] = \frac{1}{2^{k+1}}$
- Assuming d distinct values: expect $d/2$ to map to $\text{BITMAP}[0]$, $d/4$ to map to $\text{BITMAP}[1]$, ...



- Let R = position of rightmost zero in BITMAP
- Use as indicator of $\log(d)$
- Average several iid instances (different hash functions) to reduce estimator variance

9

Generalization: Distinct Values Queries

- SELECT COUNT(DISTINCT target-attr)
- FROM relation
- WHERE predicate

Template

- SELECT COUNT(DISTINCT o_custkey)
- FROM orders
- WHERE o_orderdate >= '2002-01-01'

TPC-H example

- "How many distinct customers have placed orders this year?"
- Predicate not necessarily only on the DISTINCT target attribute

- Approximate answers with error guarantees over a stream of tuples?

10

Distinct Sampling [Gib01]

Key Ideas

- Use FM-like technique to collect a specially-tailored sample over the *distinct values in the stream*
 - Use hash function mapping to sample values from the data domain!
 - Uniform random sample of the distinct values
 - Very different from traditional random sample: each distinct value is chosen uniformly regardless of its frequency
 - DISTINCT query answers: simply scale up sample answer by sampling rate
- To handle additional predicates
 - Reservoir sampling of tuples for each distinct value in the sample
 - Use reservoir sample to evaluate predicates

11

Processing Set Expressions over Update Streams [GG03]

- Estimate cardinality of *general set expressions* over streams of updates

- E.g., number of distinct (source,dest) pairs seen at both R1 and R2 but not R3? $| (R1 \cap R2) - R3 |$


- 2-Level Hash-Sketch (2LHS) stream synopsis: Generalizes FM sketch

- First level: $\Theta(\log N)$ buckets with exponentially-decreasing probabilities (using $\text{lsb}(h(x))$, as in FM)

- Second level: Count-signature array ($\log N+1$ counters)


• One "total count" for elements in first-level bucket

• $\log N$ "bit-location counts" for 1-bits of incoming elements



Extensions

- Key property of FM-based sketch structures: **Duplicate-insensitive!**
 - Multiple insertions of the same value don't affect the sketch or the final estimate
 - Makes them ideal for use in broadcast-based environments
 - E.g., wireless sensor networks (broadcast to many neighbors is critical for **robust** data transfer)
 - Considine et al. ICDE'04; Manjhi et al. SIGMOD'05
- Main deficiency of *traditional random sampling*: Does not work in a Turnstile Model (inserts+deletes)
 - "Adversarial" deletion stream can deplete the sample
- **Exercise**: Can you make use of the ideas discussed today to build a "delete-proof" method of maintaining a random sample over a stream??



13


New stuff for today...

- A different sketch structure for multi-sets: *The CountMin (CM) sketch*
- The Sliding Window model and Exponential Histograms (EHs)
- Peek into distributed streaming

14


The CountMin (CM) Sketch

- Simple sketch idea, can be used for point queries, range queries, quantiles, join size estimation
- Model input at each node as a vector x_i of dimension N , where N is large
- Creates a small summary as an array of $w \times d$ in size
- Use d hash functions to map vector entries to $[1..w]$



15

CM Sketch Structure



- Each entry in vector A is mapped to one bucket per row
- Merge two sketches by entry-wise summation
- Estimate $A[j]$ by taking $\min_k \text{sketch}[k, h_k(j)]$

[Cormode, Muthukrishnan '05]

16

CM Sketch Summary

- CM sketch guarantees approximation error on point queries less than $\epsilon \|A\|_1$ in size $O(1/\epsilon \log 1/\delta)$
 - Probability of more error is less than $1-\delta$
 - Similar guarantees for range queries, quantiles, join size
- Hints
 - Counts are *biased!* Can you limit the expected amount of extra "mass" at each bucket? (*Use Markov*)
 - *Use Chernoff* to boost the confidence for the $\min\{\}$ estimate
- *Food for thought*: How do the CM sketch guarantees compare to AMS??

17

Sliding Window Streaming Model

- Model
 - At every time t , a data record arrives
 - The record "expires" at time $t+N$ (N is the window length)
- When is it useful?
 - Make decisions based on "recently observed" data
 - Stock data
 - Sensor networks

18

Time in Data Stream Models

Tuples arrive $X_1, X_2, X_3, \dots, X_t, \dots$

- Function $f(X, t, \text{NOW})$
 - Input at time t : $f(X_1, 1, t), f(X_2, 2, t), f(X_3, 3, t), \dots, f(X_t, t, t)$
 - Input at time $t+1$: $f(X_1, 1, t+1), f(X_2, 2, t+1), f(X_3, 3, t+1), \dots, f(X_{t+1}, t+1, t+1)$
- Full history: $f = \text{identity}$
- Partial history: Decay
 - Exponential decay: $f(X, t, \text{NOW}) = 2^{-(\text{NOW}-t)*X}$
 - Input at time t : $2^{-(t-1)*X_1}, 2^{-(t-2)*X_2}, \dots, \frac{1}{2} * X_{t-1}, X_t$
 - Input at time $t+1$: $2^{-t*X_1}, 2^{-(t-1)*X_2}, \dots, 1/4 * X_{t-1}, \frac{1}{2} * X_t, X_{t+1}$
 - Sliding window (special type of decay):
 - $f(X, t, \text{NOW}) = X$ if $\text{NOW}-t < N$
 - $f(X, t, \text{NOW}) = 0$, otherwise
 - Input at time t : $X_1, X_2, X_3, \dots, X_t$
 - Input at time $t+1$: $X_2, X_3, \dots, X_t, X_{t+1}$

19

Simple Example: Maintain Max

- Problem: Maintain the maximum value over the last N numbers.
- Consider all non-decreasing arrangements of N numbers (Domain size R):
 - There are $\binom{N+R}{N}$ distinct arrangements
 - Lower bound on memory required:
 $\log \binom{N+R}{N} \geq N \log(R/N)$
 - So if $R = \text{poly}(N)$, then lower bound says that we have to store the last N elements ($\Omega(N \log N)$ memory)

20

Statistics Over Sliding Windows

- Bitstream: Count the number of ones [DGIM02]
 - Exact solution: $\Theta(N)$ bits
 - Algorithm BasicCounting:
 - $1 + \epsilon$ approximation (relative error!)
 - Space: $O(1/\epsilon (\log^2 N))$ bits
 - Time: $O(\log N)$ worst case, $O(1)$ amortized per record
 - Lower Bound:
 - Space: $\Omega(1/\epsilon (\log^2 N))$ bits

21

Approach: Temporal Histograms

Example: ... 0110101001111110110 0101 ...

Equi-width histogram:

... 0110 1010 0111 1111 0110 0101 ...

- Issues:
 - Error is in the last (leftmost) bucket.
 - Bucket counts (left to right): $C_m, C_{m-1}, \dots, C_2, C_1$
 - Absolute error $\leq C_m/2$.
 - Answer $\geq C_{m-1} + \dots + C_2 + C_1 + 1$.
 - Relative error $\leq C_m / (C_{m-1} + \dots + C_2 + C_1 + 1)$.
 - Maintain: $C_m / (C_{m-1} + \dots + C_2 + C_1 + 1) \leq \epsilon$ ($\epsilon = 1/k$).

22

Naïve: Equi-Width Histograms

- Goal: Maintain $C_m/2 \leq \epsilon (C_{m-1} + \dots + C_2 + C_1 + 1)$

Problem case:

... 0110 1010 0111 1111 0110 1111 0000 0000 0000 ...

- Note:
 - Every Bucket will be the last bucket sometime!
 - New records may be all zeros \rightarrow
For every bucket i , require $C_i/2 \leq \epsilon (C_{i-1} + \dots + C_2 + C_1 + 1)$

23

Exponential Histograms

- Data structure invariant:
 - Bucket sizes are non-decreasing powers of 2
 - For every bucket size other than that of the last bucket, there are at least $k/2$ and at most $k/2+1$ buckets of that size
 - Example: $k=4$: (8, 4, 4, 4, 2, 2, 2, 1, 1..)
- Invariant implies:
 - Assume $C_i = 2^{2^i}$, then
 - $C_{i-1} + \dots + C_2 + C_1 + 1 \geq k/2 * (\sum (1+2+4+\dots+2^{i-1})) \geq k * 2^i / 2$
 $\geq k/2 * C_i$
 - Setting $k = 1/\epsilon$ implies the required error guarantee!

24

Space Complexity

- Number of buckets m :
 - $m \leq [\text{\# of buckets of size } j] \cdot [\text{\# of different bucket sizes}]$
 - $\leq (k/2 + 1) \cdot ((\log(2N/k) + 1)) = O(k \log(N))$
- Each bucket requires $O(\log N)$ bits.
- Total memory: $O(k \log^2 N) = O(1/\epsilon \cdot \log^2 N)$ bits
- Invariant (with $k = 1/\epsilon$) maintains error guarantee!

25

EH Maintenance Algorithm

Data structures:

- For each bucket: timestamp of most recent 1, size = #1's in bucket
- LAST: size of the last bucket
- TOTAL: Total size of the buckets

New element arrives at time t

- If last bucket expired, update LAST and TOTAL
- If (element == 1)
 - Create new bucket with size 1: update TOTAL
- Merge buckets if there are more than $k/2 + 2$ buckets of the same size
- Update LAST if changed

Anytime estimate: $TOTAL - (LAST/2)$

26

Example Run

- If last bucket expired, update LAST and TOTAL
- If (element == 1)
 - Create new bucket with size 1: update TOTAL
- Merge two oldest buckets if there are more than $k/2 + 2$ buckets of the same size
- Update LAST if changed

Example ($k=2$):

32,16,8,8,4,4,2,1,1

32,16,8,8,4,4,2,2,1

32,16,8,8,4,4,2,2,1,1

32,16,16,8,4,2,1

27

Lower Bound

- Argument: Count number of different arrangements that the algorithm needs to distinguish
 - $\log(N/B)$ blocks of sizes $B, 2B, 4B, \dots, 2^d B$ from right to left.
 - Block i is subdivided into B blocks of size 2^i each.
 - For each block (independently) choose $k/4$ sub-blocks and fill them with 1.
- Within each block: $(B \text{ choose } k/4)$ ways to place the 1s
- $(B \text{ choose } k/4)^{\log(N/B)}$ distinct arrangements

28

Lower Bound (continued)

- Example:



- Show: An algorithm has to distinguish between any such two arrangements

29

Lower Bound (continued)



Assume we do not distinguish two arrangements:

- Differ at block d , sub-block b

Consider time when b expires

- We have c full sub-blocks in A_1 , and $c+1$ full sub-blocks in A_2 [note: $c+1 \leq k/4$]
- $A_1: c2^d + \sum_{i=1}^{d-1} k/4 * (1+2+4+\dots+2^{d-i})$
 $= c2^d + k/4 * (2^d - 1)$
- $A_2: (c+1)2^d + k/4 * (2^d - 1)$
- Absolute error: 2^{d-1}
- Relative error for A_2 : $2^{d-1} / [(c+1)2^d + k/4 * (2^d - 1)] \geq 1/k = \epsilon$

30

Lower Bound (continued)



Calculation:

- A1: $c2^d + \sum_{i=1}^{d-1} k/4 * (1+2+4+...+2^{d-1})$
 $= c2^d + k/2 * (2^d - 1)$
- A2: $(c+1)2^d + k/4 * (2^d - 1)$
- Absolute error: 2^{d-1}
- Relative error:
 $2^{d-1} / [(c+1)2^d + k/4 * (2^d - 1)] \geq$
 $2^{d-1} / [2 * k/4 * 2^d] = 1/k = \epsilon$


31

The Power of EHs

- Counter for N items = $O(\log N)$ space
- EH = ϵ -approximate counter over sliding window of N items that requires $O(1/\epsilon * \log^2 N)$ space
 - $O(1/\epsilon \log N)$ penalty for (approx) sliding-window counting
- Can plugin EH-counters to counter-based streaming methods \rightarrow **work in sliding-window mode!!!**
 - Examples: histograms, CM-sketches, ...
- *Complication*: counting is now ϵ -approximate
 - Account for that in analysis

32


Data-Stream Algorithmics Model



- *Approximate answers*- e.g. trend analysis, anomaly detection
- Requirements for stream synopses
 - *Single Pass*: Each record is examined at most once
 - *Small Space*: Log or polylog in data stream size
 - *Small-time*: Low per-record processing time (maintain synopses)
 - Also: *delete-proof, composable, ...*

33


Distributed Streams Model



- Large-scale querying/monitoring: *Inherently distributed!*
 - Streams physically distributed across remote sites
 E.g., stream of UDP packets through subset of edge routers
- *Challenge is "holistic" querying/monitoring*
 - Queries over the union of distributed streams $Q(S_1, u S_2, u \dots)$
 - Streaming data is spread throughout the network

34

Distributed Streams Model



- Need timely, accurate, and efficient query answers
- Additional complexity over centralized data streaming!
- Need space/time- and communication-efficient solutions
 - Minimize network overhead
 - Maximize network lifetime (e.g., sensor battery life)
 - Cannot afford to "centralize" all streaming data

35

Conclusions

- Querying and finding patterns in massive streams is a real problem with many real-world applications
- Fundamentally rethink data-management issues under stringent constraints
 - Single-pass algorithms with limited memory resources
- A lot of progress in the last few years
 - Algorithms, system models & architectures
 - GigaScope (AT&T), Aurora (Brandeis/Brown/MIT), Niagara (Wisconsin), STREAM (Stanford), Telegraph (Berkeley)
- Commercial acceptance still lagging, but will most probably grow in coming years
 - Specialized systems (e.g., fraud detection, network monitoring), but still far from "DSMSs"

36